

**Healthy And Affordable Food for all on  
Campus  
2024-25**



**Shoolini University of Biotechnology and Management Sciences,  
Bajhol, Solan, Himachal Pradesh-173229**

## Dining Spaces and Cafes at Shoolini University

Shoolini University ensures the **provision of healthy and affordable food** options on campus as a key priority, enabling students to access nutritious meals and beverages without the need to leave the university premises. The campus features **09 cafeterias**, including bakery, a juice and snack shop, a Nescafe coffee shop, Central Mess and a Domino's outlet a wide variety of hygienic and freshly prepared meals throughout the day.

**Affordability** is a central focus of these services, with food items **priced reasonably in comparison to external market rates** (For example, a standard vegetarian meal on campus costs approximately ₹80 (about USD 1), whereas a similar meal at nearby private food outlets is priced around ₹120 (about USD 1.5), ensuring cost-effective dining options for students. The presence of diverse on-campus dining options eliminates dependence on private food outlets outside the campus.

**Dining services in hostel** are managed by Good Host Spaces (GHS) in collaboration with *Maximus Hotel Catering*, ensuring hygienic, nutritious, and affordable meals. To maintain food safety and quality standards, regular inspections are conducted, and ***both food and water testing are carried out every three months*** through certified laboratories (sample reports attached below).



**Maximus Staff in hostel mess counters**



**International Students from Nepal enjoying dinner meal at New Boys Hostel Mess**



**Dr. Himanshu Gandhi as warden taking meal with student in hostel**



**MBA students enjoying meal**



**Students taking Lunch meal**



University Staff enjoying snacks in 'Pine & Dine' Cafe



Cafe Chai Shack



**Central Mess at A-Block**



**Chalet for training center for the School of Hotel Management**

# APEX TESTING AND RESEARCH LABORATORY

9/50, Kirti Nagar, Industrial Area, New Delhi-110015

E-mail : info.apex2015@gmail.com,

apextesting.researchlab2015@gmail.com

Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025



APEX LAB



TC-8463

## Test Report

FORMAT NO.: ATRL/7.8/QF/67

ULR No.

TC84632500000483F

Issue To / Customer	: M/s. Maximus Hotel Catering Services Pvt. Ltd. : Saolini University( Bhojal) Solan	Report / sample No.	: 20250128008
Name of sample	: Roti	Date Of Receipt	: 28.01.2025
Customer Ref No	: N.S	Date of Issue	: 03.02.2025
Brand name	: N.S	Test Started On	: 28.01.2025
Batch.no	: N.S	Test Completed on	: 03.02.2025
Location of performance	: In lab	Sample Qty	: 250 gm
Group	: Food And Agricultural Products	Sample packaging	: Sealed Pack
Discipline	: Biological	Manufacturing date	: N.S
Any other information	: N.S	Expiry date	: N.S
		Condition of sample	: Ok

## Sampling details

Sampling	: done by us	Sampling method	: ATRL/MIB/SOP/02
Sampling date	: 27.01.2024	Sampling by	: Our Lab Representative Mr. Saran
Sampling plan	: Available		

S.No.	Test Parameters	Units of Measurement	Results	Requirement as per FSSR-2011	Method Reference
Microbiological Parameter					
1.	Total Plate Count	cfu/g	260	-	IS:5402-(P-1):2021
2.	Yeast &Mould	Cfu/gm	<10	-	IS :5403:1999 [RA:2018]
3.	coliform	Cfu/gm	<10	-	IS: 5401 (Part-1):2012 (RA 2022)
4.	E.coli	Per gm	Absent	-	IS: 5887 (Part-1) 1976 [RA 2022]
5.	salmonella	Per 25gm	Absent	-	IS:5887 (Part-3) Sec 1 : 2020
6.	S.aureus	Per 25 gm	Absent	-	IS:5887 (Part-2): 1976 [RA 2022]
7.	Shigella	Per 25 gm	Absent	-	IS:5887 (Part-7): 1999 [RA 2022]
8.	Listeria Monocytogenes	Per 25 gm	Absent	-	IS:14988 (Part-1): 2020

  
Reviewed by  
Shivangi Gupta  
Sr. Microbiologist

\*\*Page 1\*\*  
\*\*End of Report\*\*



## Remarks:

1. Lab is responsible for all the information provided in the report except when information provided by the customer.
2. Reports relates only to the sample as received
3. If the sample provided by the customer, then result applied to the sample as received, as applicable.

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM

# APEX TESTING AND RESEARCH LABORATORY

9/50, Kirti Nagar, Industrial Area, New Delhi-110015

E-mail : info.apex2015@gmail.com,

apextesting.researchlab2015@gmail.com

Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025



APEX LAB



## Test Report

FORMAT NO.: ATRL/7.8/QF/67

ULR No.

TC846325000000484F

Issue To / Customer	: M/s. Maximus Hotel Catering Services Pvt. Ltd. : Saolini University( Bhojal) Solan	Report / sample No.	: 20250128009
Name of sample	: Rajma Masala	Date Of Receipt	: 28.01.2025
Customer Ref No	: N.S	Date of Issue	: 03.02.2025
Brand name	: N.S	Test Started On	: 28.01.2025
Batch.no	: N.S	Test Completed on	: 03.02.2025
Location of performance	: In lab	Sample Qty	: 250 gm
Group	: Food And Agricultural Products	Sample packaging	: Sealed Pack
Discipline	: Biological	Manufacturing date	: N.S
Any other information	: N.S	Expiry date	: N.S
		Condition of sample	: Ok

### Sampling details

Sampling	: done by us	Sampling method	: ATRL/MIB/SOP/02
Sampling date	: 27.01.2024	Sampling by	: Our Lab Representative Mr. Saran
Sampling plan	: Available		

S.No.	Test Parameters	Units of Measurement	Results	Requirement as per FSSR-2011	Method Reference
<b>Microbiological Parameter</b>					
1.	Total Plate Count	cfu/g	560	-	IS:5402-(P-1):2021
2.	Yeast & Mould	Cfu/gm	<10	-	IS :5403:1999 [RA:2018]
3.	coliform	Cfu/gm	<10	-	IS: 5401 (Part-1):2012 (RA 2022)
4.	E.coli	Per gm	Absent	-	IS: 5887 (Part-1) 1976 [RA 2022]
5.	salmonella	Per 25gm	Absent	-	IS:5887 (Part-3) Sec 1 : 2020
6.	S.aureus	Per 25 gm	Absent	-	IS:5887 (Part-2): 1976 [RA 2022]
7.	Shigella	Per 25 gm	Absent	-	IS:5887 (Part-7): 1999 [RA 2022]
8.	Listeria Monocytogenes	Per 25 gm	Absent	-	IS:14988 (Part-1): 2020

  
Reviewed by  
Shivangi Gupta  
Sr. Microbiologist

**\*\*Page 1\*\***  
**\*\*End of Report\*\***

  
Authorized Signatory  
Dr. Ashish Kant Jain  
Director

### Remarks:-

1. Lab is responsible for all the information provided in the report except when information provided by the customer.
2. Reports relates only to the sample as received
3. If the sample provided by the customer, then result applied to the sample as received, as applicable.

# APEX TESTING AND RESEARCH LABORATORY

9/50, Kirti Nagar, Industrial Area, New Delhi-110015

E-mail : info.apex2015@gmail.com,

apex testing.researchlab2015@gmail.com

Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025



APEX LAB



TC-8463

## Test Report

FORMAT NO.: ATRL/7.8/QF/67

ULR No.

TC846325000000485F

Issue To / Customer	: M/s. Maximus Hotel Catering Services Pvt. Ltd. : Saolini University( Bhojal) Solan	Report / sample No.	: 20250128010
Name of sample	: Boondi Raita	Date Of Receipt	: 28.01.2025
Customer Ref No	: N.S	Date of Issue	: 03.02.2025
Brand name	: N.S	Test Started On	: 28.01.2025
Batch.no	: N.S	Test Completed on	: 03.02.2025
Location of performance	: In lab	Sample Qty	: 250 gm
Group	: Food And Agricultural Products	Sample packaging	: Sealed Pack
Discipline	: Biological	Manufacturing date	: N.S
Any other information	: N.S	Expiry date	: N.S
		Condition of sample	: Ok

Sampling details			
Sampling	: done by us	Sampling method	: ATRL/MIB/SOP/02
Sampling date	: 27.01.2024	Sampling by	: Our Lab Representative Mr. Saran
Sampling plan	: Available		

S.No.	Test Parameters	Units of Measurement	Results	Requirement as per FSSR-2011	Method Reference
Microbiological Parameter					
1.	Total Plate Count	cfu/g	4720	-	IS:5402-(P-1):2021
2.	Yeast & Mould	Cfu/gm	<10	-	IS :5403:1999 [RA:2018]
3.	coliform	Cfu/gm	<10	-	IS: 5401 (Part-1):2012 (RA 2022)
4.	E.coli	Per gm	Absent	-	IS: 5887 (Part-1) 1976 [RA 2022]
5.	salmonella	Per 25gm	Absent	-	IS:5887 (Part-3) Sec 1 : 2020
6.	S.aureus	Per 25 gm	Absent	-	IS:5887 (Part-2): 1976 [RA 2022]
7.	Shigella	Per 25 gm	Absent	-	IS:5887 (Part-7): 1999 [RA 2022]
8.	Listeria Monocytogenes	Per 25 gm	Absent	-	IS:14988 (Part-1): 2020

Reviewed by  
Shivangi Gupta  
Sr. Microbiologist

\*\*Page 1\*\*  
\*\*End of Report\*\*

Authorized Signatory  
Dr. Ashish Kant Jain  
Director

Remarks:

1. Lab is responsible for all the information provided in the report except when information provided by the customer.
2. Reports relates only to the sample as received
3. If the sample provided by the customer, then result applied to the sample as received, as applicable.

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM

# APEX TESTING AND RESEARCH LABORATORY

9/50, Kirti Nagar, Industrial Area, New Delhi-110015

E-mail : info.apex2015@gmail.com,

apextesting.researchlab2015@gmail.com

Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025



APEX LAB



TC-8463

## Test Report

FORMAT NO.: ATRL/7.8/QF/67

ULR No.

TC84632500000486F

Issue To / Customer	: M/s. Maximus Hotel Catering Services Pvt. Ltd. : Saolini University( Bhojal) Solan	Report / sample No.	: 20250128011
Name of sample	: Matar Rice	Date Of Receipt	: 28.01.2025
Customer Ref No	: N.S	Date of Issue	: 03.02.2025
Brand name	: N.S	Test Started On	: 28.01.2025
Batch.no	: N.S	Test Completed on	: 03.02.2025
Location of performance	: In lab	Sample Qty	: 250 gm
Group	: Food And Agricultural Products	Sample packaging	: Sealed Pack
Discipline	: Biological	Manufacturing date	: N.S
Any other information	: N.S	Expiry date	: N.S
		Condition of sample	: Ok

### Sampling details

Sampling	: done by us	Sampling method	: ATRL/MIB/SOP/02
Sampling date	: 27.01.2024	Sampling by	: Our Lab Representative Mr. Saran
Sampling plan	: Available		

S.No.	Test Parameters	Units of Measurement	Results	Requirement as per FSSR-2011	Method Reference
<b>Microbiological Parameter</b>					
1.	Total Plate Count	cfu/g	670	-	IS:5402-(P-1):2021
2.	Yeast & Mould	Cfu/gm	<10	-	IS :5403:1999 [RA:2018]
3.	coliform	Cfu/gm	<10	-	IS: 5401 (Part-1):2012 (RA 2022)
4.	E.coli	Per gm	Absent	-	IS: 5887 (Part-1) 1976 [RA 2022]
5.	salmonella	Per 25gm	Absent	-	IS:5887 (Part-3) Sec 1 : 2020
6.	S.aureus	Per 25 gm	Absent	-	IS:5887 (Part-2): 1976 [RA 2022]
7.	Shigella	Per 25 gm	Absent	-	IS:5887 (Part-7): 1999 [RA 2022]
8.	Listeria Monocytogenes	Per 25 gm	Absent	-	IS:14988 (Part-1): 2020

  
Reviewed by  
Shivangi Gupta  
Sr. Microbiologist

\*\*Page 1\*\*  
\*\*End of Report\*\*

  
Authorized Signatory  
Dr. Ashish Kant Jain  
Director

### Remarks:

1. Lab is responsible for all the information provided in the report except when information provided by the customer.
2. Reports relates only to the sample as received
3. If the sample provided by the customer, then result applied to the sample as received, as applicable.

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229  
Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Arya Bhatt (Mess)

Report /Sample No. : 2025038AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.99	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	95	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	11	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	6	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	6	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	50	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	38	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.


Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

  
Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*  
\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Arya Bhatt (B Block 2<sup>nd</sup> Floor)

Report /Sample No. : 2025039AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.91	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	105	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	12	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	10	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	7	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	6	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	60	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	50	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.


Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification), ND: Not Detected, DL: Detection Limit

  
Authorized Signatory  
(Microbiology)

\*\*Page 1\*\*  
\*\*End Of Report\*\*



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
 E-mail : info.apex2015@gmail.com,  
 apextesting.researchlab2015@gmail.com  
 Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
 ISO 9001:2015 | ISO 14001:2015  
 ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
 : University, Solan-Oachghat-Kumarhatti Highway,  
 : Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
 Source Of Water : RO Water  
 Sampling Method : ATRL/CHEM/SOP/001  
 Sampling Location : Arya Bhatt (B-Block 4<sup>th</sup> Floor)

Report /Sample No. : 2025040AP5324  
 Date Of Receipt : 24.04.2025  
 Date of Issue : 03.05.2025  
 Test Started On : 24.04.2025  
 Test Completed on : 03.05.2025  
 Sample Quantity : 1 ltr + Sterilized bottle  
 Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.11	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	90	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	12	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	10	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	6	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	50	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	41	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
 THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Rabindranath Tagore (1<sup>st</sup> Floor)

Report /Sample No. : 2025041AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.04	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	96	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	9	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	6	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	50	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l		200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent		Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent		Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.),LOQ (Limit Of Quantification), ND: Not Detected, DL: Detection Limit


  
Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Rabindranath Tagore (4<sup>TH</sup> Floor)

Report /Sample No. : 2025042AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.93	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	84	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	9	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	45	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	32	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.  
Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification), ND: Not Detected, DL: Detection Limit

  
Authorized Signatory  
(Microbiology)

\*\*Page 1\*\*  
\*\*End Of Report\*\*



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : New Boys Hostel (Kitchen Area)

Report /Sample No. : 2025043AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr: Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.89	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	100	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	12	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	11	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	7	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	6	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	58	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	42	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016


Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.  
Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification), ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*  
\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229  
Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : New Boys Hostel (Mess 1<sup>st</sup> Floor)

Report /Sample No. : 2025044AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
Organoleptic and Physical Parameters						
1	pH value	--	7.13	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	120	500 max	2000 max	IS:3025(P-16)-2023
General Parameters concerning Substances undesirable in excessive amounts						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	13	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	14	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	8	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	7	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	66	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	52	200 max	600 max	IS:3025(P-23)-2023
Microbiological Parameters						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.


Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)

Authorized Signatory  
(Chemical)

\*\*Page 1\*\*  
\*\*End Of Report\*\*





# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229  
Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : New Boys Hostel (Mess 2<sup>nd</sup> Floor)

Report /Sample No. : 2025045AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.02	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	92	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	11	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	10	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	50	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	38	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.


Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)

\*\*Page 1\*\*  
\*\*End Of Report\*\*



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : New Boys Hostel (Block-B 2<sup>nd</sup> Floor)

Report /Sample No. : 2025046AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.00	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	98	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	12	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	10	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	52	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	35	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)

Authorized Signatory  
(Chemical)

\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : New Boys Hostel (Block-B 4<sup>th</sup> Floor)

Report /Sample No. : 2025047AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.91	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	82	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	9	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	4	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	45	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	32	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)


Authorized Signatory  
(Chemical)

\*\*Page 1\*\*

\*\*End Of Report\*\*



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : New Boys Hostel (Block-C 2<sup>nd</sup> Floor)

Report /Sample No. : 2025048AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.93	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	89	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	9	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	4	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	46	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	30	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification), ND: Not Detected, DL: Detection Limit


Authorized Signatory  
(Microbiology)

\*\*Page 1\*\*

\*\*End Of Report\*\*



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : New Boys Hostel (Block C 5<sup>th</sup> Floor)

Report /Sample No. : 2025049AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.06	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	110	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	14	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	12	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	6	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	7	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	60	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	46	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.


Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)

\*\*Page 1\*\*  
\*\*End Of Report\*\*



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Girls Hostel (A-Block Mess )

Report /Sample No. : 2025050AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
Organoleptic and Physical Parameters						
1	pH value	--	7.02	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	108	500 max	2000 max	IS:3025(P-16)-2023
General Parameters concerning Substances undesirable in excessive amounts						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	11	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	12	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	7	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	6	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	58	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	42	200 max	600 max	IS:3025(P-23)-2023
Microbiological Parameters						
1	Coliforms	Per 100ml	Absent		Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent		Absent	IS:15185 : 2016


Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.  
Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)

\*\*Page 1\*\*  
\*\*End Of Report\*\*



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
 E-mail : info.apex2015@gmail.com,  
 apextesting.researchlab2015@gmail.com  
 Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
 ISO 9001:2015 | ISO 14001:2015  
 ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
 : University, Solan-Oachghat-Kumarhatti Highway,  
 : Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
 Source Of Water : RO Water  
 Sampling Method : ATRL/CHEM/SOP/001  
 Sampling Location : Girls Hostel (A- Block 1<sup>st</sup> Floor)

Report /Sample No. : 2025051AP5324  
 Date Of Receipt : 24.04.2025  
 Date of Issue : 03.05.2025  
 Test Started On : 24.04.2025  
 Test Completed on : 03.05.2025  
 Sample Quantity : 1 ltr + Sterilized bottle  
 Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.07	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	95	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	11	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	6	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	50	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	36	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent		Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent		Absent	IS:15185 : 2016


Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.  
 Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
 (Microbiology)



\*\*Page 1\*\*  
 \*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
 THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Girls Hostel (A- Block 3<sup>rd</sup> Floor)

Report /Sample No. : 2025052AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.13	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	118	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	13	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	14	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	7	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	8	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	62	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	56	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent		Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent		Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit


Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Girls Hostel (A- Block 5<sup>th</sup> Floor)

Report /Sample No. : 2025053AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.97	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	84	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	9	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	4	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	46	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	34	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.


Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

  
Authorized Signatory  
(Microbiology)

**\*\*Page 1\*\***  
**\*\*End Of Report\*\***



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
**THIS REPORT IS NOT VALID WITHOUT HOLOGRAM**



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Girls Hostel (B- Block Kitchen)

Report /Sample No. : 2025054AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.04	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	90	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	9	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	6	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	50	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	36	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)

\*\*Page 1\*\*

\*\*End Of Report\*\*



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To	: M/s. Good Host Spaces (Shoolini) Pvt. Ltd. : University, Solan-Oachghat-Kumarhatti Highway, : Village Bajhal & Manjhali Solan-173229	Report /Sample No.	: 2025055AP5324
Nature of the Sample	: Drinking Water	Date Of Receipt	: 24.04.2025
Source Of Water	: RO Water	Date of Issue	: 03.05.2025
Sampling Method	: ATRL/CHEM/SOP/001	Test Started On	: 24.04.2025
Sampling Location	: Girls Hostel (B- Block Mess)	Test Completed on	: 03.05.2025
		Sample Quantity	: 1 ltr + Sterilized bottle
		Sample Pkg.	: Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.86	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	108	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	12	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	11	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	6	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	7	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	56	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	40	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.


Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification), ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*  
\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229  
Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Girls Hostel (B- Block 2<sup>nd</sup> Floor)

Report /Sample No. : 2025056AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.95	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	94	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	11	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	6	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	50	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	34	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification), ND: Not Detected, DL: Detection Limit


Authorized Signatory  
(Microbiology)

Authorized Signatory  
(Chemical)

\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229  
Report /Sample No. : 2025057AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Nature of the Sample : Drinking Water  
Test Started On : 24.04.2025  
Source Of Water : RO Water  
Test Completed on : 03.05.2025  
Sampling Method : ATRL/CHEM/SOP/001  
Sample Quantity : 1 ltr + Sterilized bottle  
Sampling Location : Girls Hostel (B- Block 4<sup>th</sup> Floor)  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.11	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	129	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	16	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	14	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	10	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	7	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	80	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	55	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.


Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*  
\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To	: M/s. Good Host Spaces (Shoolini) Pvt. Ltd. : University, Solan-Oachghat-Kumarhatti Highway, : Village Bajhal & Manjhali Solan-173229	Report /Sample No.	: 2025058AP5324
Nature of the Sample	: Drinking Water	Date Of Receipt	: 24.04.2025
Source Of Water	: RO Water	Date of Issue	: 03.05.2025
Sampling Method	: ATRL/CHEM/SOP/001	Test Started On	: 24.04.2025
Sampling Location	: Girls Hostel (B- Block 5 <sup>th</sup> Floor)	Test Completed on	: 03.05.2025
		Sample Quantity	: 1 ltr + Sterilized bottle
		Sample Pkg.	: Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.02	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	110	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	14	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	12	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	7	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	6	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	65	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	52	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website ; www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229  
Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Girls Hostel (C- Block Kitchen)

Report /Sample No. : 2025059AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.89	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	102	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	12	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	11	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	7	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	6	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	60	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	46	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)

Authorized Signatory  
(Chemical)

\*\*Page 1\*\*  
\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To	: M/s. Good Host Spaces (Shoolini) Pvt. Ltd. : University, Solan-Oachghat-Kumarhatti Highway, : Village Bajhal & Manjhali Solan-173229	Report /Sample No.	: 2025060AP5324
Nature of the Sample	: Drinking Water	Date Of Receipt	: 24.04.2025
Source Of Water	: RO Water	Date of Issue	: 03.05.2025
Sampling Method	: ATRL/CHEM/SOP/001	Test Started On	: 24.04.2025
Sampling Location	: Girls Hostel (C- Block Mess)	Test Completed on	: 03.05.2025
		Sample Quantity	: 1 ltr + Sterilized bottle
		Sample Pkg.	: Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.84	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	94	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	13	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	10	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	52	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	40	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount. THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229

Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Girls Hostel (C- Block 2<sup>nd</sup> Floor)

Report /Sample No. : 2025061AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.04	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	84	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	9	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	45	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	30	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016


Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.  
Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*  
\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229  
Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Girls Hostel (C- Block 3<sup>rd</sup> Floor)

Report /Sample No. : 2025062AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.84	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	112	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	12	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	8	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	7	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	58	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	44	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

  
Authorized Signatory  
(Microbiology)

  
Authorized Signatory  
(Chemical)

\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount. THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
 E-mail : info.apex2015@gmail.com,  
 apextesting.researchlab2015@gmail.com  
 Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
 ISO 9001:2015 | ISO 14001:2015  
 ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To	: M/s. Good Host Spaces (Shoolini) Pvt. Ltd. : University, Solan-Oachghat-Kumarhatti Highway, : Village Bajhal & Manjhali Solan-173229	Report /Sample No.	: 2025063AP5324
Nature of the Sample	: Drinking Water	Date Of Receipt	: 24.04.2025
Source Of Water	: RO Water	Date of Issue	: 03.05.2025
Sampling Method	: ATRL/CHEM/SOP/001	Test Started On	: 24.04.2025
Sampling Location	: Girls Hostel (C- Block 4 <sup>th</sup> Floor)	Test Completed on	: 03.05.2025
		Sample Quantity	: 1 ltr + Sterilized bottle
		Sample Pkg.	: Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	6.99	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	88	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	9	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	9	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	6	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	5	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	47	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	32	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent	Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit


  
 Authorized Signatory  
 (Microbiology)



\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
 THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
 E-mail : info.apex2015@gmail.com,  
 apex testing.researchlab2015@gmail.com  
 Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
 ISO 9001:2015 | ISO 14001:2015  
 ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To	: M/s. Good Host Spaces (Shoolini) Pvt. Ltd.	Report /Sample No.	: 2025064AP5324
	: University, Solan-Oachghat-Kumarhatti Highway,	Date Of Receipt	: 24.04.2025
	: Village Bajhal & Manjhali Solan-173229	Date of Issue	: 03.05.2025
Nature of the Sample	: Drinking Water	Test Started On	: 24.04.2025
Source Of Water	: RO Water	Test Completed on	: 03.05.2025
Sampling Method	: ATRL/CHEM/SOP/001	Sample Quantity	: 1 ltr + Sterilized bottle
Sampling Location	: Girls Hostel (C- Block 6 <sup>th</sup> Floor)	Sample Pkg.	: Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.04	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	116	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	10	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	15	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	8	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO4)	mg/l	6	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO3)	mg/l	58	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl2)	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO3)	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO3)	mg/l	46	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent		Absent	IS:15185 : 2016
2	E.Coli	Per 100ml	Absent		Absent	IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification), ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)



\*\*Page 1\*\*

\*\*End Of Report\*\*

Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.  
**THIS REPORT IS NOT VALID WITHOUT HOLOGRAM**



# APEX TESTING AND RESEARCH LABORATORY



9/50, Kirti Nagar, Industrial Area, New Delhi-110015  
E-mail : info.apex2015@gmail.com,  
apextesting.researchlab2015@gmail.com  
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025  
ISO 9001:2015 | ISO 14001:2015  
ISO 45001:2018 Certified | Govt. Approved Lab

## TEST REPORT

Issued To : M/s. Good Host Spaces (Shoolini) Pvt. Ltd.  
: University, Solan-Oachghat-Kumarhatti Highway,  
: Village Bajhal & Manjhali Solan-173229  
Nature of the Sample : Drinking Water  
Source Of Water : RO Water  
Sampling Method : ATRL/CHEM/SOP/001  
Sampling Location : Girls Hostel (C- Block 6<sup>th</sup> Floor)

Report /Sample No. : 2025065AP5324  
Date Of Receipt : 24.04.2025  
Date of Issue : 03.05.2025  
Test Started On : 24.04.2025  
Test Completed on : 03.05.2025  
Sample Quantity : 1 ltr + Sterilized bottle  
Sample Pkg. : Pet Bottle

Description : One Sample Of "Water" Collected By Our Laboratory Representative (Mr. Saran)

S. No	Test Parameters	Units	Results	Requirement (IS: 10500 2012)		Method Reference
				Acceptable Limits	Permissible Limits	
<b>Organoleptic and Physical Parameters</b>						
1	pH value	--	7.14	6.5-8.5	No Relaxation	IS:3025(P-11)-2022
2	Colour	HU	<5	5 max	15 max	IS:3025(P-4)-2021
3	Taste	--	Agreeable	Agreeable	Agreeable	IS:3025(P-8)-2023
4	Turbidity	NTU	<1	1 max	5 max	IS:3025(P-10)-2023
5	Total Dissolved Solids(TDS)	mg/l	78	500 max	2000 max	IS:3025(P-16)-2023
<b>General Parameters concerning Substances undesirable in excessive amounts</b>						
1	Fluoride(as F)	mg/l	ND(DL-0.1)	1 max	1.5 max	APHA 24 Ed. 4500D-2023
2	Calcium(as Ca)	mg/l	9	75 max	200 max	IS:3025(P-40)-2024
3	Chlorides(as Cl)	mg/l	9	250 max	1000 max	IS:3025(P-32)-1988, RA [2019]
4	Total Iron(as Fe)	mg/l	ND(DL-0.1)	1.0 max	No Relaxation	IS:3025(P-53)-2024
5	Magnesium (as Mg)	mg/l	5	30 max	100 max	IS:3025(P-46)-2023
6	Sulphate (as SO <sub>4</sub> )	mg/l	4	200 max	400 max	IS:3025(P-24)-Sec 1: 2022
7	Total Hardness (asCaCO <sub>3</sub> )	mg/l	42	200 max	600 max	IS:3025(P-21)-2009, [RA 2019]
8	Free Residual Chlorine(as Cl <sub>2</sub> )	mg/l	ND(DL-0.15)	0.2 min	1.0 min	IS:3025(P-26)-2021
9	Copper(as Cu)	mg/l	BLQ(LOQ-0.01)	0.05 max	1.5 max	IS:3025(P-42)-1992, RA 2019
10	Nitrate (a NO <sub>3</sub> )	mg/l	BLQ(LOQ-0.1)	45 Max	No Relaxation	IS:3025(P-34)-Sec-1-2023
11	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l	29	200 max	600 max	IS:3025(P-23)-2023
<b>Microbiological Parameters</b>						
1	Coliforms	Per 100ml	Absent	Absent		IS:15185 : 2016
2	E.Coli	Per 100ml	Absent	Absent		IS:15185 : 2016

Remark: Sample confirms to IS: 10500-2012 for the given parameters in the above respect only and found fit for drinking purpose.

Note:- BLQ (Below The Limit Of Quantification.), LOQ (Limit Of Quantification, ND: Not Detected, DL: Detection Limit

Authorized Signatory  
(Microbiology)

\*\*Page 1\*\*  
\*\*End Of Report\*\*



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6: Total liability of our laboratory is limited to invoiced amount.  
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM