GRADE SHEET of M.B.A 2nd Quadmester Held in Dec- 2019

Shoolini University

Reg. No.	Macroeconomics MST521 Credits: 2				Cost Accounting MST522 Credits: 2				Statistics for Management -II MST523 Credits: 2				Marketing Management-II MST524 Credits: 2				Critical Thinking and Problem Solving MST 525 Credits: 2				Business Values & Ethics MST526 Credits: 2				Social Project-II MST527 Credits: 1				Sprint-II MST 528 Credits: 2				Yoga & Meditation -II MST536 Satisfactory / Un-Satisfactory	Total Registered Credit	Total Point Secured	Grade Point average
	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Internal Marks: Max: 50			
1	19T1401001	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	111.00	7.40
2	19T1401002	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	114.00	7.60
3	19T1401003																																			
4	19T1401004	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	130.00	8.13
5	19T1401005	O	2.00	10.00	20.00	A	2.00	8.00	16.00	O	2.00	10.00	20.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	150.00	10.00
6	19T1401006	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	106.00	6.67
7	19T1401007	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.27
8	19T1401008	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	2.00	10.00	20.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	154.00	9.77
9	19T1401009	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	150.00	9.73
10	19T1401010	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	136.00	7.73
11	19T1401011	F	2.00	0.00	0.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	F	2.00	0.00	0.00	A	2.00	8.00	16.00	F	2.00	0.00	0.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	68.00	4.53
12	19T1401012	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
13	19T1401013	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	132.00	8.80
14	19T1401014	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A-	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.27
15	19T1401015	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	130.00	8.00
16	19T1401016	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	130.00	8.00
17	19T1401017	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	130.00	8.00
18	19T1401018	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	2.00	10.00	20.00	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	150.00	9.80
19	19T1401019	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	2.00	10.00	20.00	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	150.00	9.80
20	19T1401020	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.27
21	19T1401021	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.27
22	19T1401022	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	92.00	6.13
23	19T1401023	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	96.00	6.40
24	19T1401024	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	112.00	7.47
25	19T1401025	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	132.00	8.80
26	19T1401026																																			
27	19T1401027	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
28	19T1401028																																			
29	19T1401029																																			
30	19T1401030	F	2.00	0.00	0.00	F	2.00	0.00	0.00	F	2.00	0.00	0.00	F	2.00	0.00	0.00	F	2.00	0.00	0.00	F	2.00	0.00	0.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	Satisfactory	15.00	20.00	1.33
31	19T1401031																																			
32	19T1401032																																			
33	19T1401033	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	O	2.00	10.00	20.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	P	2.00	0.00	0.00	Satisfactory	15.00	134.00	8.93
34	19T1401034	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	Satisfactory	15.00	108.00	7.20
35	19T1401036	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	118.00	7.87
36	19T1401035																																			
37	19T1401037																																			
38	19T1401038	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	Satisfactory	15.00	90.00	6.00
39	19T1401042																																			
40	19T1401043																																			
41	19T1401044																																			
42	19T1401049	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	134.00	8.93
43	19T1401050	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	130.00	8.60
44	19T1401051																																			
45	19T1401052																																			
46	19T1401053	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	F	2.00	0.00	0.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	98.00	6.53
47	19T1401054	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	P	2.00	0.00	0.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	98.00	6.53
48	19T1401055	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
49	19T1401056	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	F	2.00	0.00	0.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	96.00	6.40
50	19T1401057	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
51	19T1401058	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	2.00	10.00	20.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	138.00	9.20
52	19T1401060	O	2.00	10.00	20.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	150.00	9.80
53	19T1401061																																			
54	19T1401062																																			
55	19T1401063	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	130.00	8.00
56	19T1401064	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	112.00	7.47
57	19T1401065																																			
58	19T1401066																																			
59	19T1401067	P	2.00	0.00	0.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	F	2.00	0.00	0.00	P	2.00	0.00	0.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	70.00	4.70
60	19T1401068	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	106.00	7.07
61	19T1401070	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
62	19T1401071	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	130.00	8.67
63	19T1401072	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
64	19T1401073	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	112.00	7.47
65	19T1401074																																			
66	19T1401075	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	130.00	8.60
67	19T1401078	A	2.00	8.00	16.00	A	2.00	8.00	16.00	F	2.00	0.00	0.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	Satisfactory	15.00	102.00	6.80
68	19T1401079																																			
69	19T1401083																																			
70	19T1401084	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	118.00	7.87
71	19T1401085	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	116.00	7.73
72	19T1401086	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	116.00	7.73
73	19T1401088	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	116.00	7.73
74	19T1401089	F	2.00	0.00	0.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	F	2.00	0.00	0.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	F	2.00	0.00	0.00	Satisfactory	15.00	70.00	4.70
75	19T1401090																																			
76	19T1401091	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	132.00	8.80
77	19T1401092	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
78	19T1401094	O	2.00	10.00	20.00	A	2.00	8.00	16.00	O	2.00	10.00	20.00	A	2.00	8.00	16.00	O	2.00	10.00	20.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	142.00	9.47
79	19T1401095	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
80	19T1401096	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	130.00	8.67
81	19T1401097	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
82	19T1401098	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	100.00	6.67
83	19T1401107																																			
84	19T1401108																																			
85	19T1401109																																			
86	19T1401110	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	118.00	7.73
87	19T1401111																																			
88	19T1401112	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	108.00	7.20
89	19T1401113	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	106.00	7.07
90	19T1401114	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	118.00	7.87
91	19T1401115	O	2.00	10.00	20.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	Satisfactory	15.00	138.00	9.20
92	19T1401117	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	Satisfactory	15.00	134.00	8.93
93	19T1401118																																			
94	19T1401119	F	2.00	0.00	0.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	F	2.00	0.00	0.00	P	2.00	0.00	0.00	Satisfactory	15.00	70.00	4.67
95	19T1401121																																			
96	19T1401122	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	Satisfactory	15.00	116.00	7.60
97	19T1401123	A	2.00	8.00	16.00