GRADE SHEET of M.B.A (Gen)3rd Quadmester Held in March 2019

Shoolini University

S.No.	Reg. No.	Financial Management-I MST531 Credit Hrs.-2				Managerial Computing MST532 Credit Hrs.-2				Legal Aspects of Business MST533 Credit Hrs. -2				Human Resourse Management-I MST534 Credit Hrs.2				Social Project-III MST535 Credit Hrs.1				SPRINT-III MST536 Credit Hrs 2				Marketing Research-I MST537 Credit Hrs.2				WRITING SEMINAR MST 538 Credit Hrs.1				Total Registered Credit	Total Point Secured	Grade Point average	Total Earned Prev.Credit	Prev.Point Secured	Rep. Cr. Hrs.	Rep.Cr. Pts.	Cumm. Earned Credit	Cumm. Point Secured	OGPA	Overall Performance
		Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured	Grade Awarded	Earned Credit	Grade Point	Point Secured											
1	1871401001	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A+	1.00	9.00	9.00	14.00	117.00	8.36	26.00	202.00	0.00	0.00	40.00	319.00	7.98	Very Good
2	1871401002	C	2.00	5.00	10.00	C	2.00	5.00	10.00	F	2.00	0.00	0.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	76.00	5.43	26.00	153.00	0.00	0.00	40.00	229.00	5.73	Above Average
3	1871401003	B	2.00	6.00	12.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	97.00	6.93	26.00	203.00	0.00	0.00	40.00	300.00	7.50	Very Good
4	1871401004	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	93.00	6.64	26.00	187.00	0.00	0.00	40.00	280.00	7.00	Good
5	1871401005	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	113.00	8.07	26.00	210.00	0.00	0.00	40.00	323.00	8.08	Very Good
6	1871401006	C	2.00	5.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	C	2.00	5.00	10.00	A+	1.00	9.00	9.00	14.00	89.00	6.36	26.00	154.00	0.00	0.00	40.00	243.00	6.08	Above Average
7	1871401007	RLA																																										
8	1871401008	B	2.00	6.00	12.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	92.00	6.57	26.00	177.00	0.00	0.00	40.00	269.00	6.73	Good
9	1871401009	C	2.00	5.00	10.00	A	2.00	8.00	16.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	99.00	7.07	26.00	198.00	0.00	0.00	40.00	297.00	7.43	Good
10	1871401010	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	14.00	100.00	7.14	26.00	167.00	0.00	0.00	40.00	267.00	6.68	Good
11	1871401011	C	2.00	5.00	10.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	95.00	6.79	26.00	158.00	0.00	0.00	40.00	253.00	6.33	Above Average
12	1871401012	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	14.00	98.00	7.00	26.00	192.00	0.00	0.00	40.00	290.00	7.25	Good
13	1871401013	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	98.00	7.00	26.00	194.00	0.00	0.00	40.00	292.00	7.30	Good
14	1871401014	B	2.00	6.00	12.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	1.00	7.00	7.00	14.00	103.00	7.36	26.00	192.00	0.00	0.00	40.00	295.00	7.38	Good
15	1871401015	C	2.00	5.00	10.00	F	2.00	0.00	0.00	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	P	1.00	4.00	4.00	14.00	80.00	5.71	26.00	213.00	0.00	0.00	40.00	293.00	7.33	Good
16	1871401016	O	2.00	10.00	20.00	O	2.00	10.00	20.00	O	2.00	10.00	20.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	14.00	130.00	9.29	26.00	249.00	0.00	0.00	40.00	379.00	9.48	Excellent
17	1871401017	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	102.00	7.29	26.00	216.00	0.00	0.00	40.00	318.00	7.95	Very Good
18	1871401018	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	14.00	114.00	8.14	26.00	223.00	0.00	0.00	40.00	337.00	8.43	Very Good
19	1871401019	C	2.00	5.00	10.00	A	2.00	8.00	16.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	1.00	7.00	7.00	14.00	89.00	6.36	26.00	169.00	0.00	0.00	40.00	258.00	6.45	Above Average
20	1871401020	P	2.00	4.00	8.00	P	2.00	4.00	8.00	F	2.00	0.00	0.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	F	2.00	0.00	0.00	F	1.00	0.00	0.00	14.00	46.00	3.29	26.00	64.00	0.00	0.00	40.00	110.00	2.75	Fail
21	1871401021	B	2.00	6.00	12.00	B	2.00	6.00	12.00	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	96.00	6.86	26.00	189.00	0.00	0.00	40.00	285.00	7.13	Good
22	1871401022	C	2.00	5.00	10.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	100.00	7.14	26.00	196.00	0.00	0.00	40.00	296.00	7.40	Good
23	1871401023	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	P	1.00	4.00	4.00	14.00	86.00	6.14	26.00	175.00	0.00	0.00	40.00	261.00	6.53	Good
24	1871401025	B	2.00	6.00	12.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	105.00	7.50	26.00	188.00	0.00	0.00	40.00	293.00	7.33	Good
25	1871401026	C	2.00	5.00	10.00	P	2.00	4.00	8.00	C	2.00	5.00	10.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	F	1.00	0.00	0.00	14.00	80.00	5.71	26.00	175.00	0.00	0.00	40.00	255.00	6.38	Above Average
26	1871401027	C	2.00	5.00	10.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	100.00	7.14	26.00	220.00	0.00	0.00	40.00	320.00	8.00	Very Good
27	1871401028	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	112.00	8.00	26.00	196.00	0.00	0.00	40.00	308.00	7.70	Very Good
28	1871401029	C	2.00	5.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	P	2.00	4.00	8.00	P	2.00	4.00	8.00	A+	1.00	9.00	9.00	14.00	87.00	6.21	26.00	192.00	0.00	0.00	40.00	279.00	6.98	Good
29	1871401030	P	2.00	4.00	8.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	1.00	7.00	7.00	14.00	83.00	5.93	26.00	173.00	0.00	0.00	40.00	256.00	6.40	Above Average
30	1871401031	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	107.00	7.64	26.00	198.00	0.00	0.00	40.00	305.00	7.63	Very Good
31	1871401032	B	2.00	6.00	12.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	F	1.00	0.00	0.00	14.00	78.00	5.57	26.00	152.00	0.00	0.00	40.00	230.00	5.75	Above Average
32	1871401033	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	103.00	7.36	26.00	184.00	0.00	0.00	40.00	287.00	7.18	Good
33	1871401034	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	14.00	104.00	7.43	26.00	216.00	0.00	0.00	40.00	320.00	8.00	Very Good
34	1871401035	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	14.00	112.00	8.00	26.00	208.00	0.00	0.00	40.00	320.00	8.00	Very Good
35	1871401036	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	F	1.00	0.00	0.00	14.00	82.00	5.86	26.00	182.00	0.00	0.00	40.00	264.00	6.60	Good
36	1871401037	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	111.00	7.93	26.00	212.00	0.00	0.00	40.00	323.00	8.08	Very Good
37	1871401039	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	103.00	7.36	26.00	197.00	0.00	0.00	40.00	300.00	7.50	Very Good
38	1871401040	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	106.00	7.57	26.00	209.00	0.00	0.00	40.00	315.00	7.88	Very Good
39	1871401041	B+	2.00	7.00	14.00	O	2.00	10.00	20.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	14.00	118.00	8.43	26.00	192.00	0.00	0.00	40.00	310.00	7.75	Very Good
40	1871401042	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	114.00	8.14	26.00	209.00	0.00	0.00	40.00	323.00	8.08	Very Good
41	1871401043	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	A+	1.00	9.00	9.00	14.00	93.00	6.64	26.00	196.00	0.00	0.00	40.00	289.00	7.23	Good
42	1871401044	C	2.00	5.00	10.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B+	1.00	7.00	7.00	14.00	91.00	6.50	26.00	172.00	0.00	0.00	40.00	263.00	6.58	Good
43	1871401045	C	2.00	5.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	103.00	7.36	26.00	200.00	0.00	0.00	40.00	303.00	7.58	Very Good
44	1871401046	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	95.00	6.79	26.00	166.00	0.00	0.00	40.00	261.00	6.53	Good
45	1871401047	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	95.00	6.79	26.00	191.00	0.00	0.00	40.00	286.00	7.15	Good
46	1871401048	P	2.00	4.00	8.00	F	2.00	0.00	0.00	F	2.00	0.00	0.00	P	2.00	4.00	8.00	O	1.00	10.00	10.00	P	2.00	4.00	8.00	F	2.00	0.00	0.00	F	1.00	0.00	0.00	14.00	34.00	2.43	26.00	66.00	0.00	0.00	40.00	100.00	2.50	Fail
47	1871401049	A	2.00	8.00	16.00	O	2.00	10.00	20.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	111.00	7.93	26.00	230.00	0.00	0.00	40.00	341.00	8.53	Excellent
48	1871401050	P	2.00	4.00	8.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	P	1.00	4.00	4.00	14.00	90.00	6.43	26.00	172.00	0.00	0.00	40.00	262.00	6.55	Good
49	1871401051	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	99.00	7.07	26.00	197.00	0.00	0.00	40.00	296.00	7.40	Good
50	1871401052	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	C	2.00	5.00	10.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	110.00	7.86	26.00	203.00	0.00	0.00	40.00	313.00	7.83	Very Good
51	1871401053	C	2.00	5.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	P	2.00	4.00	8.00	A	1.00	8.00	8.00	14.00	86.00	6.14	26.00	144.00	0.00	0.00	40.00	230.00	5.75	Above Average
52	1871401054	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	104.00	7.43	26.00	180.00	0.00	0.00	40.00	284.00	7.10	Good
53	1871401055	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	105.00	7.50	26.00	205.00	0.00	0.00	40.00	310.00	7.75	Very Good
54	1871401057	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	104.00	7.43	26.00	200.00	0.00	0.00	40.00	304.00	7.60	Very Good
55	1871401058	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	106.00	7.57	26.00	188.00	0.00	0.00	40.00	294.00	7.35	Good
56	1871401059	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	101.00	7.21	26.00	202.00	0.00	0.00	40.00	303.00	7.58	Very Good
57	1871401060	B+	2.00	7.00	14.00	O	2.00	10.00	20.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	113.00	8.07	26.00	213.00	0.00	0.00	40.00	326.00	8.15	Very Good
58	1871401061	B+	2.00	7.00	14.00	O	2.00	10.00	20.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	112.00	8.00	26.00	215.00	0.00	0.00	40.00	327.00	8.18	Very Good
59	1871401062	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	110.00	7.86	26.00	222.00	0.00	0.00	40.00	332.00	8.30	Very Good
60	1871401063	P	2.00	4.00	8.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	F	1.00	0.00	0.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	A	1.00	8.00	8.00	14.00	78.00	5.57	26.00	156.00	0.00	0.00	40.00	234.00	5.85	Above Average
61	1871401064	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	98.00	7.00	26.00	180.00	0.00	0.00	40.00	278.00	6.95	Good
62	1871401065	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	A+	1.00	9.00	9.00	14.00	97.00	6.93	26.00	198.00	0.00	0.00	40.00	295.00	7.38	Good
63	1871401066	B	2.00	6.00	12.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	91.00	6.50	26.00	170.00	0.00	0.00	40.00	261.00	6.53	Good
64	1871401067	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	1.00	7.00	7.00	14.00	89.00	6.36	26.00	190.00	0.00	0.00	40.00	279.00	6.98	Good
65	1871401068	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	97.00	6.93	26.00	184.00	0.00	0.00	40.00	281.00	7.03	Good
66	1871401069	P	2.00	4.00	8.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	104.00	7.43	26.00	216.00	0.00	0.00	40.00	320.00	8.00	Very Good
67	1871401070	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	P	2.00	4.00	8.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	88.00	6.29	26.00	180.00	0.00	0.00	40.00	268.00	6.70	Good
68	1871401072	C	2.00	5.00	10.00	B	2.00	6.00	12.00	P	2.00	4.00	8.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	C	2.00	5.00	10.00	F	1.00	0.00	0.00	14.00	78.00	5.57	26.00	135.00	0.00	0.00	40.00	213.00	5.33	Average
69	1871401073	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	89.00	6.36	26.00	170.00	0.00	0.00	40.00	259.00	6.48	Above Average
70	1871401074	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	P	1.00	4.00	4.00	14.00	96.00	6.86	26.00	210.00	0.00	0.00	40.00	306.00	7.65	Very Good
71	1871401075	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	107.00	7.64	26.00	200.00	0.00	0.00	40.00	307.00	7.68	Very Good
72	1871401076	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	14.00	120.00	8.57	26.00	225.00	0.00	0.00	40.00	345.00	8.63	Excellent
73	1871401077	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	109.00	7.79	26.00	187.00	0.00	0.00	40.00	296.00	7.40	Good
74	1871401078	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	106.00	7.57	26.00	212.00	0.00	0.00	40.00	318.00	7.95	Very Good
75	1871401079	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	95.00	6.79	26.00	212.00	0.00	0.00	40.00	307.00	7.68	Very Good
76	1871401080	P	2.00	4.00	8.00	P	2.00	4.00	8.00	F	2.00	0.00	0.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	P	2.00	4.00	8.00	P	1.00	4.00	4.00	14.00	64.00	4.57	26.00	49.00	0.00	0.00	40.00	113.00	2.83	Fail
77	1871401081	C	2.00	5.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	P	2.00	4.00	8.00	A	1.00	8.00	8.00	14.00	82.00	5.86	26.00	144.00	0.00	0.00	40.00	226.00	5.65	Above Average
78	1871401082	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	104.00	7.43	26.00	208.00	0.00	0.00	40.00	312.00	7.80	Very Good
79	1871401083	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	99.00	7.07	26.00	166.00	0.00	0.00	40.00	265.00	6.63	Good
80	1871401084	CS																																										
81	1871401085	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	14.00	114.00	8.14	26.00	210.00	0.00	0.00	40.00	324.00	8.10	Very Good
82	1871401086	C	2.00	5.00	10.00	P	2.00	4.00	8.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	82.00	5.86	26.00	177.00	0.00	0.00	40.00	259.00	6.48	Above Average
83	1871401087	P	2.00	4.00	8.00	F	2.00	0.00	0.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	14.00	72.00	5.14	26.00	79.00	0.00	0.00	40.00	151.00	3.78	Fail
84	1871401088	C	2.00	5.00	10.00	P	2.00	4.00	8.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	88.00	6.29	26.00	164.00	0.00	0.00	40.00	252.00	6.30	Above Average
85	1871401089	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	100.00	7.14	26.00	196.00	0.00	0.00	40.00	296.00	7.40	Good
86	1871401090	C	2.00	5.00	10.00	P	2.00	4.00	8.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	P	1.00	4.00	4.00	14.00	86.00	6.14	26.00	162.00	0.00	0.00	40.00	248.00	6.20	Above Average
87	1871401091	B	2.00	6.00	12.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	105.00	7.50	26.00	184.00	0.00	0.00	40.00	289.00	7.23	Good
88	1871401092	B	2.00	6.00	12.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	105.00	7.50	26.00	207.00	0.00	0.00	40.00	312.00	7.80	Very Good
89	1871401093	B	2.00	6.00	12.00	P	2.00	4.00	8.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	97.00	6.93	26.00	187.00	0.00	0.00	40.00	284.00	7.10	Good
90	1871401095	C	2.00	5.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	104.00	7.43	26.00	184.00	0.00	0.00	40.00	288.00	7.20	Good
91	1871401096	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	99.00	7.07	26.00	176.00	0.00	0.00	40.00	275.00	6.88	Good
92	1871401097	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	95.00	6.79	26.00	174.00	0.00	0.00	40.00	269.00	6.73	Good
93	1871401098	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	14.00	110.00	7.86	26.00	210.00	0.00	0.00	40.00	320.00	8.00	Very Good
94	1871401099	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	A+	1.00	9.00	9.00	14.00	117.00	8.36	26.00	240.00	0.00	0.00	40.00	357.00	8.93	Excellent
95	1871401100	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	113.00	8.07	26.00	212.00	0.00	0.00	40.00	325.00	8.13	Very Good
96	1871401101	C	2.00	5.00	10.00	P	2.00	4.00	8.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	91.00	6.50	26.00	188.00	0.00	0.00	40.00	279.00	6.98	Good
97	1871401103	P	2.00	4.00	8.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	84.00	6.00	26.00	182.00	0.00	0.00	40.00	266.00	6.65	Good
98	1871401104	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	14.00	92.00	6.57	26.00	162.00	0.00	0.00	40.00	254.00	6.35	Above Average
99	1871401105	C	2.00	5.00	10.00	C	2.00	5.00	10.00	P	2.00	4.00	8.00	B	2.00	6.00	12.00	F	1.00	0.00	0.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	C	1.00	5.00	5.00	14.00	69.00	4.93	26.00	148.00	0.00	0.00	40.00	217.00	5.43	Average
100	1871401106	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	102.00	7.29	26.00	174.00	0.00	0.00	40.00	276.00	6.90	Good
101	1871401107	C	2.00	5.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	F	1.00	0.00	0.00	14.00	72.00	5.14	26.00	135.00	0.00	0.00	40.00	207.00	5.18	Average
102	1871401108	C	2.00	5.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	103.00	7.36	26.00	200.00	0.00	0.00	40.00	303.00	7.58	Very Good
103	1871401109	B	2.00	6.00	12.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	92.00	6.57	26.00	168.00	0.00	0.00	40.00	260.00	6.50	Good
104	1871401110	C	2.00	5.00	10.00	P	2.00	4.00	8.00	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	85.00	6.07	26.00	154.00	0.00	0.00	40.00	239.00	5.98	Above Average
105	1871401111	B	2.00	6.00	12.00	P	2.00	4.00	8.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	91.00	6.50	26.00	199.00	0.00	0.00	40.00	290.00	7.25	Good
106	1871401112	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	96.00	6.86	26.00	186.00	0.00	0.00	40.00	282.00	7.05	Good
107	1871401113	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	14.00	106.00	7.57	26.00	187.00	0.00	0.00	40.00	293.00	7.33	Good
108	1871401114	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	98.00	7.00	26.00	190.00	0.00	0.00	40.00	288.00	7.20	Good
109	1871401115	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	1.00	7.00	7.00	14.00	95.00	6.79	26.00	167.00	0.00	0.00	40.00	262.00	6.55	Good
110	1871401116	F	2.00	0.00	0.00	F	2.00	0.00	0.00	P	2.00	4.00	8.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	F	2.00	0.00	0.00	P	2.00	4.00	8.00	P	1.00	4.00	4.00	14.00	42.00	3.00	26.00	118.00	0.00	0.00	40.00	160.00	4.00	Pass
111	1871401117	A+	2.00	9.00	18.00	O	2.00	10.00	20.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	114.00	8.14	26.00	232.00	0.00	0.00	40.00	346.00	8.65	Excellent
112	1871401118	A	2.00	8.00	16.00	A	2.00	8.00	16.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	99.00	7.07	26.00	202.00	0.00	0.00	40.00	301.00	7.53	Very Good
113	1871401119	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	101.00	7.21	26.00	184.00	0.00	0.00	40.00	285.00	7.13	Good
114	1871401120	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	1.00	7.00	7.00	14.00	95.00	6.79	26.00	170.00	0.00	0.00	40.00	265.00	6.63	Good
115	1871401121	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	96.00	6.86	26.00	168.00	0.00	0.00	40.00	264.00	6.60	Good
116	1871401122	C	2.00	5.00	10.00	A	2.00	8.00	16.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	93.00	6.64	26.00	171.00	0.00	0.00	40.00	264.00	6.60	Good
117	1871401123	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	97.00	6.93	26.00	202.00	0.00	0.00	40.00	299.00	7.48	Good
118	1871401124	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	88.00	6.29	26.00	181.00	0.00	0.00	40.00	269.00	6.73	Good
119	1871401125	A+	2.00	9.00	18.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	14.00	122.00	8.71	26.00	223.00	0.00	0.00	40.00	345.00	8.63	Excellent
120	1871401126	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	96.00	6.86	26.00	174.00	0.00	0.00	40.00	270.00	6.75	Good
121	1871401127	P	2.00	4.00	8.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	87.00	6.21	26.00	165.00	0.00	0.00	40.00	252.00	6.30	Above Average
122	1871401128	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	106.00	7.57	26.00	204.00	0.00	0.00	40.00	310.00	7.75	Very Good
123	1871401129	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	99.00	7.07	26.00	189.00	0.00	0.00	40.00	288.00	7.20	Good
124	1871401130	C	2.00	5.00	10.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	A	1.00	8.00	8.00	14.00	84.00	6.00	26.00	143.00	0.00	0.00	40.00	227.00	5.68	Above Average
125	1871401132	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	A	1.00	8.00	8.00	14.00	86.00	6.14	26.00	124.00	0.00	0.00	40.00	210.00	5.25	Average
126	1871401133	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	102.00	7.29	26.00	194.00	0.00	0.00	40.00	296.00	7.40	Good
127	1871401134	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	104.00	7.43	26.00	188.00	0.00	0.00	40.00	292.00	7.30	Good
128	1871401135	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	91.00	6.50	26.00	177.00	0.00	0.00	40.00	268.00	6.70	Good
129	1871401136	A	2.00	8.00	16.00	O	2.00	10.00	20.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	A+	1.00	9.00	9.00	14.00	119.00	8.50	26.00	237.00	0.00	0.00	40.00	356.00	8.90	Excellent
130	1871401137	B+	2.00	7.00	14.00	O	2.00	10.00	20.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	118.00	8.43	26.00	227.00	0.00	0.00	40.00	345.00	8.63	Excellent
131	1871401138	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	111.00	7.93	26.00	181.00	0.00	0.00	40.00	292.00	7.30	Good
132	1871401139	P	2.00	4.00	8.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	P	1.00	4.00	4.00	14.00	78.00	5.57	26.00	162.00	0.00	0.00	40.00	240.00	6.00	Above Average
133	1871401140	C	2.00	5.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	F	1.00	0.00	0.00	14.00	80.00	5.71	26.00	160.00	0.00	0.00	40.00	240.00	6.00	Above Average
134	1871401141	C	2.00	5.00	10.00	B	2.00	6.00	12.00	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	P	2.00	4.00	8.00	C	2.00	5.00	10.00	P	1.00	4.00	4.00	14.00	76.00	5.43	26.00	161.00	0.00	0.00	40.00	237.00	5.93	Above Average
135	1871401142	CS																																										
136	1871401144	C	2.00	5.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	C	2.00	5.00	10.00	B+	1.00	7.00	7.00	14.00	97.00	6.93	26.00	165.00	0.00	0.00	40.00	262.00	6.55	Good
137	1871401145	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	99.00	7.07	26.00	188.00	0.00	0.00	40.00	287.00	7.18	Good
138	1871401146	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	96.00	6.86	26.00	184.00	0.00	0.00	40.00	280.00	7.00	Good
139	1871401147	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	97.00	6.93	26.00	187.00	0.00	0.00	40.00	284.00	7.10	Good
140	1871401148	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	A+	1.00	9.00	9.00	14.00	87.00	6.21	26.00	173.00	0.00	0.00	40.00	260.00	6.50	Good
141	1871401149	C	2.00	5.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	105.00	7.50	26.00	193.00	0.00	0.00	40.00	298.00	7.45	Good
142	1871401150	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	96.00	6.86	26.00	197.00	0.00	0.00	40.00	293.00	7.33	Good
143	1871401151	C	2.00	5.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	14.00	104.00	7.43	26.00	192.00	0.00	0.00	40.00	296.00	7.40	Good
144	1871401152	C	2.00	5.00	10.00	P	2.00	4.00	8.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	F	1.00	0.00	0.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	P	1.00	4.00	4.00	14.00	68.00	4.86	26.00	138.00	0.00	0.00	40.00	206.00	5.15	Average
145	1871401153	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	1.00	7.00	7.00	14.00	95.00	6.79	26.00	184.00	0.00	0.00	40.00	279.00	6.98	Good
146	1871401154	B	2.00	6.00	12.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	P	1.00	4.00	4.00	14.00	90.00	6.43	26.00	186.00	0.00	0.00	40.00	276.00	6.90	Good
147	1871401155	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	A	2.00	8.00	16.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	14.00	116.00	8.29	26.00	215.00	0.00	0.00	40.00	331.00	8.28	Very Good
148	1871401156	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	14.00	96.00	6.86	26.00	174.00	0.00	0.00	40.00	270.00	6.75	Good
149	1871401157	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	97.00	6.93	26.00	211.00	0.00	0.00	40.00	308.00	7.70	Very Good
150	1871401158	B	2.00	6.00	12.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	104.00	7.43	26.00	192.00	0.00	0.00	40.00	296.00	7.40	Good
151	1871401159	F	2.00	0.00	0.00	F	2.00	0.00	0.00	F	2.00	0.00	0.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	F	2.00	0.00	0.00	P	2.00	4.00	8.00	A	1.00	8.00	8.00	14.00	36.00	2.57	26.00	136.00	0.00	0.00	40.00	172.00	4.30	Pass
152	1871401160	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	A+	1.00	9.00	9.00	14.00	87.00	6.21	26.00	157.00	0.00	0.00	40.00	244.00	6.10	Above Average
153	1871401163	C	2.00	5.00	10.00	F	2.00	0.00	0.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	74.00	5.29	26.00	167.00	0.00	0.00	40.00	241.00	6.03	Above Average
154	1871401164	CS																																										
155	1871401165	F	2.00	0.00	0.00	P	2.00	4.00	8.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	F	1.00	0.00	0.00	F	2.00	0.00	0.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	49.00	3.50	26.00	160.00	0.00	0.00	40.00	209.00	5.23	Average
156	1871401166	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	P	1.00	4.00	4.00	14.00	94.00	6.71	26.00	174.00	0.00	0.00	40.00	268.00	6.70	Good
157	1871401168	A	2.00	8.00	16.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	2.00	9.00	18.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	113.00	8.07	26.00	157.00	0.00	0.00	40.00	270.00	6.75	Good
158	1871401169	B	2.00	6.00	12.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	106.00	7.57	26.00	168.00	0.00	0.00	40.00	274.00	6.85	Good
159	1871401170	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A+	1.00	9.00	9.00	14.00	113.00	8.07	26.00	221.00	0.00	0.00	40.00	334.00	8.35	Very Good
160	1871401172	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	B+	1.00	7.00	7.00	14.00	91.00	6.50	26.00	136.00	0.00	0.00	40.00	227.00	5.68	Above Average
161	1871401173	F	2.00	0.00	0.00	F	2.00	0.00	0.00	P	2.00	4.00	8.00	F	2.00	0.00	0.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	F	2.00	0.00	0.00	F	1.00	0.00	0.00	14.00	28.00	2.00	26.00	116.00	0.00	0.00	40.00	144.00	3.60	Fail
162	1871401174	B+	2.00	7.00	14.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	A	2.00	8.00	16.00	A	1.00	8.00	8.00	14.00	106.00	7.57	26.00	178.00	0.00	0.00	40.00	284.00	7.10	Good
163	1871401175	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	A	1.00	8.00	8.00	14.00	98.00	7.00	26.00	167.00	0.00	0.00	40.00	265.00	6.63	Good
164	1871401177	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	97.00	6.93	26.00	158.00	0.00	0.00	40.00	255.00	6.38	Above Average
165	1871401178	F	2.00	0.00	0.00	C	2.00	5.00	10.00	C	2.00	5.00	10.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B	2.00	6.00	12.00	A	1.00	8.00	8.00	14.00	76.00	5.43	26.00	154.00	0.00	0.00	40.00	230.00	5.75	Above Average
166	1871401179	P	2.00	4.00	8.00	B	2.00	6.00	12.00	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	C	2.00	5.00	10.00	P	1.00	4.00	4.00	14.00	82.00	5.86	26.00	148.00	0.00	0.00	40.00	230.00	5.75	Above Average
167	1871401180	P	2.00	4.00	8.00	P	2.00	4.00	8.00	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	F	1.00	0.00	0.00	A	2.00	8.00	16.00	P	2.00	4.00	8.00	A+	1.00	9.00	9.00	14.00	71.00	5.07	26.00	108.00	0.00	0.00	40.00	179.00	4.48	Pass
168	1871401181	C	2.00	5.00	10.00	P	2.00	4.00	8.00	P	2.00	4.00	8.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A+	2.00	9.00	18.00	C	2.00	5.00	10.00	B+	1.00	7.00	7.00	14.00	85.00	6.07	26.00	150.00	0.00	0.00	40.00	235.00	5.88	Above Average
169	1871401183	C	2.00	5.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	O	1.00	10.00	10.00	P	2.00	4.00	8.00	B	2.00	6.00	12.00	P	1.00	4.00	4.00	14.00	84.00	6.00	26.00	148.00	0.00	0.00	40.00	232.00	5.80	Above Average
170	1871401184	C	2.00	5.00	10.00	B	2.00	6.00	12.00	B	2.00	6.00	12.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	A	2.00	8.00	16.00	B	2.00	6.00	12.00	A+	1.00	9.00	9.00	14.00	95.00	6.79	26.00	137.00	0.00	0.00	40.00	232.00	5.80	Above Average
171	1871401185	CS																																										
172	1871401186	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	B+	2.00	7.00	14.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	95.00	6.79	26.00	176.00	0.00	0.00	40.00	271.00	6.78	Good
173	1871401202	B+	2.00	7.00	14.00	O	2.00	10.00	20.00	B+	2.00	7.00	14.00	C	2.00	5.00	10.00	O	1.00	10.00	10.00	B+	2.00	7.00	14.00	B+	2.00	7.00	14.00	A+	1.00	9.00	9.00	14.00	105.00	7.50	26.00	191.00	0.00	0.00	40.00	296.00	7.40	Good
174	1871401203	CS																																										

F grade course to be repeated
Date of Issue: 15-05-2019

Prepared by

Checked by

Controller of Examination